

Trigger Finger and Trigger Thumb
Orthopaedic Department
Patient Information Leaflet

Under review


What is trigger finger?

Trigger finger is a painful condition in which a finger or thumb clicks or locks as it is bent towards the palm.

Constriction of the mouth of a tendon tunnel leads to the tendon catching at the tunnel mouth. The tendon cannot move freely and it causes a sensation of catching with restricted movements of the finger, and when severe the finger can lock. Often there is thickening or a nodule (knot) formation of the tendon which makes the condition worse.

What is the cause?

Causes are not always clear. It is sometimes associated with medical conditions like diabetes, gout or rheumatoid arthritis, and local trauma may be a factor in some patients, but in the majority of patients there is no clear cause.



What are the symptoms?

- Pain at the site of triggering in the palm (fingers) or on the palm surface of the thumb at the middle joint, usually in a person over the age of 40.
- Tenderness if you press on the site of pain.
- Clicking of the digit during movement, or locking in a bent position, often worse on waking in the morning. The digit may need to be straightened with pressure from the opposite hand.
- Stiffness, especially in trigger thumb where movement at the end joint is reduced.

What is the treatment?

Trigger finger and trigger thumb are not harmful, but can be a really painful nuisance. Some mild cases recover over a few weeks without treatment. The options for treatment are:

1. Avoiding activities that cause pain, if possible
2. Using a small splint to hold the finger or thumb straight at night. A splint can be fitted by a hand therapist, but even a lollipop stick held on with tape can be used as a temporary splint.
3. Steroid injection relieves the pain and triggering in about 70% of cases, but the success rate is lower in people with diabetes. The risks of injection are small, but it very occasionally causes some thinning or colour change in the skin at the site of injection. Improvement may occur within a few days of injection, but may take several weeks. A second injection is sometimes helpful, but surgery may be needed if triggering persists.
4. Surgical decompression of the tendon tunnel. The anaesthetic may be local (injected under the skin at the site of operation) regional (injected in the armpit to numb the entire arm) or a general anaesthetic. Through a small incision, and protecting nerves that lie near the tunnel, the surgeon widens the mouth of the tendon tunnel by slitting its roof. The wound will require a small dressing for 10-14 days, but light use of the hand is possible from the day of surgery and active use of the digit will aid the recovery of movement. Pain relief is usually rapid. Although the scar may be red and tender for several weeks, it is seldom troublesome in the longer term. Recurrence of triggering after surgery is uncommon.

Copyright © MS. All rights reserved.

Further Information

Orthopaedic and Fracture Clinic:-
Monday – Friday
Tel: 01384 456111 Extension 2220

This Information can be made available in large print, audio version and in other languages, please call 0800 0730510.

ਜੇਕਰ ਇਹ ਲੀਫਲੈੱਟ (ਛੋਟਾ ਇਸਤਿਹਾਰ) ਤੁਸੀਂ ਆਪਣੀ ਭਾਸ਼ਾ (ਪੰਜਾਬੀ) ਵਿੱਚ ਲੈਣਾ ਚਾਹੁੰਦੇ ਹੋ ਤਾਂ ਕ੍ਰਿਪਾ ਕਰ ਕੇ ਪੇਸ਼ਟ ਇੰਫਰਮੇਸ਼ਨ ਕੋ-ਆਰਡੀਨੇਟਰ ਨਾਲ **0800 0730510** ਟੈਲੀਫੋਨ ਨੰਬਰ ਤੇ ਸੰਪਰਕ ਕਰੋ।

यदि आपको यह दस्तावेज़ अपनी भाषा में चाहिये तो पेशन्ट इनफरमेशन को-आरडीनेटर को टैलीਫ਼ोन ਨੰਬਰ **0800 0730510** पर फ़ोन करें।

જો તમને આ પત્રિકા તમારી પોતાની ભાષા (ગુજરાતી)માં જોઈતી હોય, તો કૃપા કરીને પેશન્ટ ઈન્ફોર્મેશન કો-ઓર્ડિનેટરનો **0800 0730510** પર સંપર્ક કરો.

আপনি যদি এই প্রচারপত্রটি আপনার নিজের ভাষায় পেতে চান, তাহলে দয়া করে পেশেন্ট ইনফরমেশন কো-অর্ডিনেটরের সাথে **0800 0730510** এই নম্বরে যোগাযোগ করুন।

إذا كنت ترغب هذه الوريقة مترجمة بلغتك الاصلية (اللغة العربية) ، فرجاء ا اتصل بمنسق المعلومات للمريض **0800 0730510** على التلفون **Information Co-ordinator**

حسب ضرورت اس ایف ایٹ کو اپنی زبان (اوردو) میں حاصل کرنے کے لئے برہم پورہ ہائی ٹیلیفون نمبر **0800 0730510** پر ویڈیو انٹرفیشن کو اور ایمل (مریٹوں کے لئے معلومات کی فراہمی کے سلسلے میں) کے ساتھ رابطہ قائم کریں۔

Originator:	Mr M Sinha
Date:	March 2013
Version:	1
Date for Review:	March 2016
DGOH Ref:	DGOH/PIL/00851