

Dry Needling of Achilles Tendon
Orthopaedic Department
Patient Information Leaflet

What is dry needling?

Dry needling is a procedure that is performed under local anaesthetic by a Consultant Radiologist (X-ray specialist). After injecting local anaesthetic into the skin a very fine needle is passed repeatedly through the abnormal tendon substance. It-This is done to stimulate an inflammatory response within the tendon. The inflammatory response and this then induces the formation of reparative-repair tissue which strengthens the tendon and hopefully reduces pain. Patients who respond well to dry needling, or who have only partial pain relief MAY be suitable for repeated needling, depending ont he sverity of their symptoms.

Alternatives

Dry needling is performed prior to performing more formal <u>and major</u> surgery as surgery has a longer recovery <u>process period</u> and is more invasive with higher risks attached.

Risks Complications of the procedure

Risks of this procedure are relatively rare and the evidence is that such complications occur in about 1% - 2% of cases:

Pain: You may experience some discomfort afterwards. This should be relieved by anti-inflammatory tablets.

Infection: This may present as temperature or redness and discharge around the wound. A course of antibiotics may be necessary.

Rupture: The tendon may tear. This cannot be predicted, but moving it too early is often a cause.

<u>The main risk of the procedure is non relief of symptoms – ie you do not get</u> better. Further treatments will be discussed with you in the out-patient clinic.

After the procedure

After the procedure you will attend the plaster room to have a walking boot applied to your leg or a below knee cast applied to your leg. This is to keep the ankle still while the tendon heals. You will be able to walk, putting weight through the plaster /boot. However, you will not be able to drive for 3 weeks You cannot drive a manual car with a boot on until the boot is removed. It MAY be possible for you to drive an automatic car if your boot is on the left foot – the responsibility for assessing your fitness to drive rest with you, the patient.

Post Operative care

You will be given a care of your cast leaflet; this will contain dos and don'ts of looking after your cast along with telephone numbers if you have any problems with the cast. You will also be given an appointment to attend the Orthopaedic Outpatient clinic approximately 3 weeks after the procedure, where the plaster/boot will be removed. Further treatment will then be guided by your Orthopaedic surgeon..

Further Information

Orthopaedic and Fracture Clinic:-Monday – Friday

Tel: 01384 456111 Extension 2220

Plaster Room

This Information can be made available in large print, audio version and in other languages, please call 0800 0730510.

ਜੇਕਰ ਇਹ ਲੀਫ਼ਲੈੱਟ (ਛੋਟਾ ਇਸ਼ਤਿਹਾਰ) ਤੁਸੀਂ ਆਪਣੀ ਭਾਸ਼ਾ (ਪੰਜਾਬੀ) ਵਿੱਚ ਲੈਣਾ ਚਾਹੁੰਦੇ ਹੋ ਤਾਂ ਕ੍ਰਿਪਾ ਕਰ ਕੇ ਪੇਸ਼ੌਟ ਇੱਨਫ਼ਰਮੇਸ਼ਨ ਕੋ-ਆੱਰਡੀਨੇਟਰ ਨਾਲ 0800 0730510 ਟੈਲੀਫ਼ੋਨ ਨੰਬਰ ਤੇ ਸੰਪਰਕ ਕਰੋ।

यदि आपको यह दस्तावेज अपनी भाषा में चाहिये तो पेशन्ट इनफरमेशन को-आरडीनेटर को टैलीफोन नम्बर 0800 0730510 पर फोन करें।

જો તમને આ પત્રિકા તમારી પોતાની ભાષા (ગુજરાતી)માં જોઈતી હોય, તો કૃપા કરીને પેશન્ટ ઈન્ફોર્મેશન કો-ઓર્ડિનેટરનો 0800 0730510 પર સંપર્ક કરો.

আপনি যদি এই প্রচারপত্রটি আপনার নিজের ভাষায় পেতে চান, তাহলে দয়া করে পেশেন্ট ইনফরমেশন কো-অর্ডিনেটারের সাথে 0800 0730510এই নম্বরে যোগাযোগ করুন।

حسب ضرورت اس ایف ایش کوانی زبان (اردو) میں حاصل کرنے کے لئے براہ مہر بانی ٹیلیفون نہر 0800 0730510 پروہنٹ انٹرمیشن کو۔اورڈ پینٹر (مریشنوں کے لئے معلومات کی فراہمی کے سلسط جمہ بانسر کے ساتھ دراطری کا کرس۔

Originators: J Saunders/A Marsh
Date: Feb 2013
Version: 1

Date for Review: Feb 2016

DGOH Ref: DGOH/PIL/00859