

Date: 18/11/2016

## FREEDOM OF INFORMATION REQUEST FOI/013130 - Venous thrombo-embolism

	No
Do you have a specific trust guideline for venous thromboembolism (VTE) prophylaxis in patients undergoing trauma & orthopaedic surgery?	We have trust policy on Venous thromboembolism which incorporates VTE prophylaxis including guidelines on management of VTE prophylaxis in trauma and orthopaedic patients.
2) If yes to (1), please provide full details of your trust VTE prophylaxis guidelines for patients undergoing all forms of trauma & orthopaedic surgery	All patients are risk assessed for VTE on admission to hospital and receive prophylactic LMWH and Anti embolism stockings (AES) according to their risk assessment  Hip fracture and hip replacement receive 28 days prophylactic LMWH and fitted with AES unless contraindicated  Knee replacement receive 10 days prophylactic LMWH and fitted with AES unless contraindicated  Other groups of patients are considered for extended prophylaxis on an individual basis by the clinician caring for patient advice can be sought from Haemotologist if required
3) If no to (1), please provide reasons why not (if known).	We have trust policy on Venous thromboembolism which incorporates VTE prophylaxis including guidelines on management of VTE prophylaxis in trauma and orthopaedic patients.  This is based on Nice guidelines and is in the process of being updated.