

Date: 01/06/2017

Freedom of Information request 013452 – Pressure ulcers

Information request – 1 (See below chart 1)

Number of hospital acquired avoidable pressure ulcers, category 2, 3 and 4, occurring each month between 1st April 2016 to March 31st 2017]

Information request - 2 (see below chart 1)

Number of hospital acquired avoidable category 4 pressure ulcers occurring each month between 1st April 2016 to March 31st 2017

Numbers hospital acquired avoidable category 3 pressure ulcers occurring each month between 1st April 2016 to March 31st 2017

Numbers hospital acquired avoidable category 2 pressure ulcers occurring each month between 1st April 2016 to March 31st 2017

Chart 1

	Apr 2016	May 2016	Jun 2016	Jul 2016	Aug 2016	Sep 2016	Oct 2016	Nov 2016	Dec 2016	Jan 2017	Feb 2017	Mar 2017	Total
Pressure Sore, STAGE 2 (Hospital Acquired)	3	1	0	2	3	3	2	2	1	2	8	3	30
Pressure Sore, STAGE 3 (Hospital Acquired)	0	1	0	1	1	1	0	0	1	0	0	0	5
Pressure Sore, STAGE 3 Unclassified (Hospital Acquired)	0	0	2	5	2	5	0	0	1	4	1	0	20
Pressure Sore, STAGE 4 (Hospital Acquired)	0	0	0	0	1	0	0	0	0	0	0	0	1
Total	3	2	2	8	7	9	2	2	3	6	9	3	56

Information request – 3 (See chart 2 below)

Number of pressure ulcers category 2, 3 and 4 per thousand bed days each month occurring between 1st April 2016 – 31st March 2017

Chart 2

Type		Q1 1617	Q2 1617	Q3 1617	Q4 1617	Average per month
General and Acute	Available	66955	67588	68935	66424	5623.0
	Occupied	57675	57653	60772	60772	4934.8
Maternity	Available	3913	3956	3956	3870	327.0
	Occupied	2329	2453	2229	2229	192.5
Total	Available	70868	71544	72891	70294	5949.9
	Occupied	60004	60106	63001	63001	5127.3

Information request – 4

The name of the pressure ulcer classification tool use within the Trust

- NHS Midlands and East Pressure Ulcer Grading Tool

Information request – 5

Does the Trust report suspected Deep Tissue Injury and/or Deep Tissue Injury

- Yes via internal reporting systems. Not externally.

Information request – 6

Does the Trust report device related pressure ulcers separately to other pressure damage

- No