

Date: 22/09/2017

FREEDOM OF INFORMATION REQUEST FOI/013605 – Emergency readmissions

EMERGENCY READMISSIONS BROKEN DOWN BY DAY FOR THE LAST FIVE YEARS

The Trust is unable to provide reasons for emergency admissions as this is not recorded at the required level on our systems.

There was a switch in 2012/13 of patient recording of Emergency Assessment Unit (EAU) attendances, from outpatients to admitted, which has impacted on readmissions.

In 2014 Ambulatory Emergency Care (AEC) was opened which has also impacted on the number of readmissions.

Number of days after discharge patient was readmitted	Number of patients subject to emergency readmission during 2012/13	Number of patients subject to emergency readmission during 2013/14	Number of patients subject to emergency readmission during 2014/15	Number of patients subject to emergency readmission during 2015/16	Number of patients subject to emergency readmission during 2016/17
<b>0*</b>	200	441	468	474	477
<b>1</b>	416	778	980	1097	1121
<b>2</b>	345	531	684	756	776
<b>3</b>	251	472	602	619	650
<b>4</b>	218	402	528	590	570
<b>5</b>	201	361	488	502	551
<b>6</b>	212	374	436	490	502
<b>7</b>	182	346	374	488	452
<b>8</b>	155	266	351	426	408
<b>9</b>	152	264	275	382	371
<b>10</b>	135	268	322	361	368
<b>11</b>	144	232	270	355	331
<b>12</b>	126	223	276	312	336
<b>13</b>	131	220	254	302	298
<b>14</b>	107	239	279	258	276
<b>15</b>	107	214	261	253	245
<b>16</b>	85	180	228	249	269

<b>17</b>	99	183	183	266	234
<b>18</b>	71	155	194	225	239
<b>19</b>	90	163	183	202	228
<b>20</b>	108	154	189	209	209
<b>21</b>	79	154	194	225	197
<b>22</b>	85	136	177	199	177
<b>23</b>	60	147	176	167	230
<b>24</b>	49	150	153	187	206
<b>25</b>	71	140	172	172	177
<b>26</b>	65	138	160	176	174
<b>27</b>	67	126	174	173	203
<b>28</b>	64	137	152	163	164
<b>29</b>	63	125	137	160	161
<b>30</b>	60	130	132	153	182

\* Readmitted within less than 24 hours of discharge.

#### **REASONS RECORDED FOR EMERGENCY READMISSION**

The Trust is unable to provide reasons for emergency admissions as this is not recorded at the required level on our systems.