

Date: 15/05/2019

FREEDOM OF INFORMATION REQUEST FOI/014795 - CT & Dexa Provision

Please can you answer the following questions regarding the following equipment used within the Trust?

- 1. Please can you provide the following information for each piece of CT (Computed Tomography) imaging equipment within the Trust or associated sites? (Please complete the attached CT spreadsheet)
- a. Manufacturer
- b. Model
- c. Number of Slices per rotation
- d. Location Hospital Name or Site Name
- e. Department equipment is primarily used in
- f. Method of Finance at Procurement (Trust/Lease/MES/Charity/PFI)
- g. Initial cost of Equipment
- h. Annual Maintenance cost
- i. Acquisition Date
- j. Planned Replacement Date

MANUFACTURER	MODEL	NUMBER OF SLICES PER ROTATION	LOCATION (HOSPITAL NAME / SITE NAME)	DEPARTME NT EQUIPMEN T IS PRIMARILY USED IN	METHOD OF FINANCE AT PROCUREM ENT	OF EQUIPMENT	ANNUAL MAINTENANCE COST	ACQUISITION DATE	PLANNED REPLACEMENT DATE
Siemens	Somatom Definition	64	Guest	Xray	PFI	£0.00	0	13/11/2017	Nov-23
Siemens	Somatom Definition	64	Russells Hall	Xray	PFI	£0.00	0	13/03/2012	Aug-19
Siemens	Somatom Definition	128	Russells Hall	Xray	PFI	£0.00	0	10/10/2012	Jun-19

- 2. Please can you provide the following information for each DEXA (dual-energy x-ray absorptiometry / bone densitometry) imaging equipment within the Trust or associated sites? (Please complete the attached DEXA spreadsheet)
- a. Manufacturer
- b. Model
- c. Equipment Type
- d. Location Hospital Name or Site Name
- e. Department equipment is primarily used in
- f. Method of Finance at Procurement (Trust/Lease/MES/Charity/PFI)
- g. Initial cost of Equipment
- h. Annual Maintenance cost
- i. Acquisition Date
- j. Planned Replacement Date

MANUFACTURER	MODEL	EQUIPMENT TYPE	LOCATION (HOSPITAL NAME / SITE NAME)	DEPARTMENT EQUIPMENT IS PRIMARILY USED IN	METHOD OF FINANCE AT PROCUREMENT	INITIAL COST OF EQUIPMENT	ANNUAL MAINTENANCE COST	ACQUISITION DATE	PLANNED REPLACEMENT DATE
GE Healthcare	PRODIGY ADVANCE	DEXA	Corbett	Xray	Trust	62,031.19	£6,410.89	01/02/2007	n/a
-									()