

Trust Headquarters Russell's Hall Hospital Dudley West Midlands DY1 2HQ

### Ref: FOI-102023-000406

Date: 17/11/2023

### Address / Email:

Dear

## **Request Under Freedom of Information Act 2000**

Thank you for requesting information under the Freedom of Information Act 2000.

|  | г   |
|--|---|
| <ol> <li>When was your last networking (LAN,<br/>Core &amp; Edge refresh, and when is the next<br/>refresh planned?</li> </ol> | This was complete in 2022, therefore, would be forecast to take place in the next 5-7 years   |
| 1a. What would you like to improve upon in your next refresh?  | Our current focus is optimising the new<br>infrastructure that has only just been refreshed.<br>An assessment of the latest opportunities would<br>take place prior to refreshing to take advantage<br>of the most up-to-date technology available at<br>that time. |
| 1b. Could you please confirm the supplier for<br>your current contract and the vendor that you<br>are using                    | Trustmarque/Cisco   |
| 2. When was your last Wi-Fi refresh, and when is the next refresh planned?   | The Wi-Fi is in the final stages of being refreshed<br>– again we would anticipate this to take place in<br>5-7 years.  |
| 2a. What would you like to improve upon in your next refresh?  | See response to 1a  |
| 2b. Could you please confirm the supplier for<br>your current contract and the vendor that you<br>are using?                   | Trustmarque/Cisco   |
| 3. When was your last Telephony Hardware refresh, and when is the next refresh planned?  | This work is scheduled to take place in Jan 2024  |
| 3a. What would you like to improve upon in your next refresh?  | See 1a  |

### FOI/REF FOI- FOI-102023-000406

| 2h. Cauld was also as a first the second start   | Truster annua (Ciana  |
|--|---|
| 3b. Could you please confirm the supplier for<br>your current contract and the vendor that you<br>are using?                       | Trustmarque/Cisco   |
| 4. When was your last Unified<br>Communications refresh, and when is the next<br>refresh planned?                                  | Jan 2024 - 5 years  |
| 4a. What would you like to improve upon in your next refresh?  | See 1a  |
| 4b. Could you please confirm the supplier for your current contract and the vendor that you are using?                             | Trustmarque/Cisco   |
| 5. Do you currently use SD-WAN or SASE, if not it this something that you are planning to do?                                      | Νο  |
| 5a. If yes, could you please confirm the supplier<br>for your current contract and the vendor that<br>you are using?               | N/A   |
| 6. What adoption of asset tracking/real-time<br>asset locating, or RFID has been implemented or<br>is being considered or planned? | We are currently implementing Securitas active<br>RTLS tags within the organisation |
| 6a. Can you confirm contract dates and vendors?  | 31/8/24 – Securitas   |
| 7. Do you have an alert/notification solution in<br>place for reducing false alarms or is being<br>considered or planned           | Alert notifications are in place for network and infrastructure environments        |

If you are dissatisfied with our response, you have the right to appeal in line with guidance from the Information Commissioner. In the first instance you may contact the Information Governance Manager of the Trust.

Information Governance Manager Trust Headquarters Russell's Hall Hospital Dudley West Midlands DY1 2HQ Email: <u>dgft.dpo@nhs.net</u>

Should you disagree with the contents of our response to your appeal, you have the right to appeal to the Information Commissioners Office at.

Information Commissioners Office Wycliffe House Water Lane Wilmslow Cheshire SK9 5AF Tel: 0303 123 1113 www.ico.org.uk

If you require further clarification, please do not hesitate to contact us. Page 2 of 3  $\,$ 

Yours sincerely

# Freedom of Information Team The Dudley Group NHS Foundation Trust